SDS Type: GHS / OSHA

DOC ID: 43408.993928.12161553

Page 1 of 7 2018-11-06

Product: WALK IN THE WOODS

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: WALK IN THE WOODS

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid
Acute Dermal/Eye 12 : Causes moderate skin irritation.

16: Causes eye irritation.

Acute Oral 3: May be harmful if swallowed or if aspirated into the lungs

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





SDS Type: GHS / OSHA

Product: WALK IN THE WOODS

DOC ID: 43408.993928.12161553

Page 2 of 7 2018-11-06

Signal Word: Warning

Hazard statments

H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

sponse:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	28, 3	
Benzyl Be	nzoate				
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410	11, 31	
Tetramethyl Acetyloctahydronaphthalenes					
125-12-2	204-727-6	2 - 5 %	H227; H316; H401	11, 15	
Isobornyl a	acetate				
68527-77-5	271-282-2	2 - 5 %	H315; H317; H318; H401; H411		
2,4,6-Trim	ethyl-3-cyclohex	ene-1-methanol ((Isocyclogeraniol)		
8021-29-2	294-351-9	1 - 2 %	H226; H304; H316; H319; H400; H410	12, 16, 3, 31	
Abies sibirica oil					

SDS Type: GHS / OSHA

Product: WALK IN THE WOODS

Page 3 of 7 2018-11-06

DOC ID: 43408.993928.12161553

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
68737-61-1	272-113-5	1 - 2 %	H227; H303; H313; H315; H317; H401;	12, 15, 31	
Dimethyltetrahydro Benzaldehyde		dehyde	H411		
6485-40-1	229-352-5	1 - 2 %	H227; H313; H317; H401	11, 15	
I-Carvone					
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401	11, 15, 31	
Eugenol					
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412		
IsoCycloC	itral				
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	11, 15, 24, 25, 31	
ß-Pinene					
101-39-3	202-938-8	0.1 - 1.0 %	H303; H317; H401	31	
alpha-Methylcinnamaldehyde					
104-55-2	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401	10, 12, 16, 26, 31, 36	
Cinnamal					
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H332; H400; H410	10, 12, 15, 3	
Allyl cyclohexylpropionate					

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 1.17

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

SDS Type: GHS / OSHA

DOC ID: 43408.993928.12161553

Product: WALK IN THE WOODS

Page 4 of 7 2018-11-06

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm TWA ppm STEL ppm

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

SDS Type: GHS / OSHA

Product: WALK IN THE WOODS

Page 5 of 7 2018-11-06

DOC ID: 43408.993928.12161553

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Colorless to Yellow Tint (G1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Not determined

Plashpoint (CCCFP):

Auto flammability:

Not determined

None Expected

Oxidizing properties:

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0268

 %VOC:
 5.037

 Specific Gravity @ 25 C:
 0.8930

 Density @ 25 C:
 0.8900

 Refractive Index @ 20 C:
 1.4530

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 5,185.11) Not classified - the classification criteria are

not met

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,604.29) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 24.98) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

SDS Type: GHS / OSHA

Not classified - the classification criteria are not met

Product: WALK IN THE WOODS

Page 6 of 7 2018-11-06

DOC ID: 43408.993928.12161553

Skin sensitization

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Aspiration hazard

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods				
Chemicals NOI						
ADR/RID (International Road/Rail)						
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082	
IATA (Air Cargo)						
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082	
IMDG (Sea)						
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082	

SDS Type: GHS / OSHA

DOC ID: 43408.993928.12161553

Product: WALK IN THE WOODS

Page 7 of 7 2018-11-06

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 99.93% of the components are listed or exempt. The following

components are NOT on the List:

188570-78-7 425-200-9 0.01 - 0.1% Cyclopropanecarboxylic acid, (3Z)-3-hexenyl ester

16. Other Information

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways
H312 : Harmful in contact with skin

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage H332 : Harmful if inhaled H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H410: Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(1.12) Skin Corrosion/Irritation, Category 2
 (20.00) Sensitization, Skin, Category 1A
 (2.26) Eye Damage/Eye Irritation, Category 2A
 (4.45) Aquatic Chronic Toxicity, Category 2

Department issuing data sheet: Regulatory Affairs Group

Remarks

This safety data sheet is based on the properties of the material known to the manufacturer at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment the manufacturer holds no responsibility. This document is not intended for quality assurance purposes.